Primary lithium battery LS 14250

3.6 V Primary lithium-thionyl chloride (Li-SOCl₂) High energy density ½ AA-size bobbin cell

Benefits

- High voltage response, stable during most of the lifetime of the application
- Wide operating temperature range (-60°C/+85°C)
- Low self-discharge rate (less than 1 % per year of storage at +20°C)
- Easy integration into compact systems
- Superior resistance to atmospheric corrosion

Key features

- Stainless steel container and end caps (low magnetic signature)
- Hermetic glass-to-metal sealing
- Non-flammable electrolyte
- Compliant with IEC 60086-4 safety standard and IEC 60079-11 intrinsic safety standard (*class T4 assignment*)
- Underwriters Laboratories (UL)
 Component Recognition
- Non-restricted for transport/ Non-assigned to Class 9 according to the UN Recommendations on the transport of dangerous goods
 Model Regulations
- Manufactured in France, UK, China

Main applications

- Utility metering
- Automatic meter reading
- Alarms and security devices
- Tollgate systems
- Memory back-up
- Computer real-time clocks
- Tracking systems
- Automotive electronics
- Professional electronics

Cell size references

Electrical characteristics

(typical values relative to cells stored for one year or less at $+30^{\circ}$ C max.) Nominal capacity (at 1 mA $+20^{\circ}$ C 2 O V cut-off. The capacity restored by the cell varies

	drain, temperature and cu	,	i	
Open circuit voltage	(at +20°C)			3.67 V
Nominal voltage	(at 0.1 mA +20°C)			3.6 V
Nominal energy				4.32 Wh

Pulse capability: Typically up to 100 mA (100 mA/0.1 second pulses, drained every 2 mn at +20°C from undischarged cells with 10 μ A base current, yield voltage readings above 3.0 V. The readings may vary according to the pulse characteristics, the temperature, and the cell's previous history. Fitting the cell with a capacitor may be recommended in severe conditions. Consult Saft)

Maximum recommended continuous current (Higher currents are possible, consult Saft)	35 mA
Storage (recommended) (for more severe conditions, consult Saft)	+30°C (+86°F) max
Operating temperature range [Operation above ambient T may lead to reduced capacity and lower voltage readings at the beginning of pulses. Consult Saft]	-60°C/+85°C [-76°F/+185°F]

Physical characteristics

Diameter (max)			14.55 mm (0.57 in)
Height (max)			25.15 mm (0.99 in)
Typical weight			8.9 g (0.3 oz)
Li metal content			approx. 0.3 g
Available terminatio	on suffix		
	CN, CNR	radial tabs	
	2 PF, 3 PF, 3 PF RP, 4 PF	radial pins	
	CNA (AX)	axial leads	
	FL	flying leads <i>etc.</i>	



Eastern Energy Co., Ltd. 40/4 Vitoondumri Rd., Banbueng Banbueng, Chonburi, Thailand

Tel: 66-3844-6117 sale@ete.co.th www.eastern-energy.com




1/2 R6 - 1/2 AA

less at + 30°C max.) 1.20 Ah

LS 14250

Ø 4.2 min 5.5 max (flat area) 1.35 ± 0.3 Ø 14 44 0.11 24.65 ± 0.5 0.4 ± 0.1 Ø 7.5 ± 0.1 (flat area) Dimensions in mm.



Storage

• The storage area should be clean, cool *(preferably not* exceeding + 30°C), dry and ventilated.

Warning

- Fire, explosion and burn hazard.
- Do not recharge, short circuit, crush, disassemble, heat above 100°C (212°F), incinerate, or expose contents to water.
- Do not solder directly to the cell • (use tabbed cell versions instead).

Restored Capacity versus Current and Temperature (2.0 V cut-off)

Time (hours)

6

100

3 kOh

1000


S

10000

£

10

1





Eastern Energy Co., Ltd. 40/4 Vitoondumri Rd., Banbueng Banbueng, Chonburi, Thailand

Tel: 66-3844-6117 sale@ete.co.th www.eastern-energy.com

2.1 1.9

0.1

Doc. Nº 31072-2-0909

Information in this document is subject to change without notice and becomes contractual only after written confirmation by Saft. For more details on primary lithium technologies please refer to Primary Lithium Batteries Selector Guide Doc Nº 31048-2. Published by the Communications Department.

Photo credit: Saft

Société anonyme au capital de 31 944 000 \in RCS Bobigny B 383 703 873 Produced by Arthur Associates Limited.