

HI 98201
ORP Tester



Oxidation reduction is a process by which a molecule or ion loses or gains electrons. This occurs most readily in water treatment and in pool and spa maintenance where an oxidizer, such as chlorine, is added to the water to destroy contaminants. The higher the ORP value, the greater the sanitizing power of your water.

HI 98201 is ideal for swimming pools and spas and can provide a valuable indication of water quality. This tester utilizes a platinum electrode and HANNA unique renewable cloth junction, that can be pulled out when clogging occurs, reactivating the reference and restoring the electrode.

SPECIFICATIONS	HI 98201
Range	±999 mV
Resolution	1 mV
Accuracy (@20°C/68F)	±5 mV
Battery Type / Life	1.5V (4) / approximately 700 hours of continuous use
Environment	0 to 50°C (32 to 122°F); RH max 95%
Dimensions (meter)	175 x 41 x 23 mm (6.9 x 1.6 x 0.9")
Weight (meter only)	95 g (3.4 oz.)

ORDERING INFORMATION

HI 98201 (ORP) is supplied with protective cap, batteries and instructions

ELECTRODES

HI 73201 Spare ORP electrode*

SOLUTIONS

HI 7020M ORP test solution, 200/275 mV, 250 mL

HI 7091M Reducing solution, 250 mL

HI 7092M Oxidizing solution, 250 mL

* To be replaced by authorized technical personnel only.